C py for the Elected Office (EO/US)

PCT/EP00/11059

PCT

From the INTERNATIONAL BUREAU To:

NOTIFICATION OF THE RECORDING **OF A CHANGE**

(PCT Rule 92bis.1 and

ZF FRIEDRICHSHAFEN AG 88038 Friedrichshafen ALLEMAGNE

NOV 0 9 2001

Administrative instructions, Section 422)	ALLEIVIAGIAL	
Date of mailing (day/month/year)		GROUP 36
28 June 2001 (28.06.01)		<u> </u>
Applicant's or agent's file reference 7589 WO F RO-RU	IMPORTA	NT NOTIFICATION
	1-A	
International application No. PCT/EP00/11059	International filing date (da 09 November 200	
101/21/00/11000		
The following indications appeared on record concerning: X the applicant X the inventor X The inventor C C C	the agent	the common representative
Name and Address	State of Nation	
STAUBER, Roland Jupiterstrasse 2	DE	DE
88046 Friedrichshafen	Telephone No.	
Germany	Facsimile No.	
	Teleprinter No.	
2. The International Bureau hereby notifies the applicant that the person the name X the ad		
		·
Name and Address	State of Nation DE	DE
STAUBER, Roland Schmalholzstrasse 3/3	Telephone No.	
88048 Friedrichshafen Germany		
	Facsimile No.	
	Teleprinter No.	
2 Euroban abanmatians if management		
3. Further observations, if necessary:		
4. A copy of this notification has been sent to:		
X the receiving Office	the designat	ted Offices concerned
the International Searching Authority	X the elected	Offices concerned
X the International Preliminary Examining Authority	other:	
	Authorized officer	
The International Bureau of WIPO 34, chemin des Colombettes		id Aulich
1211 Geneva 20, Switzerland	_	
Facsimile No.: (41-22) 740.14.35	Telephone No.: (41-22) 338.	83.38

(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 25 May 2001 (25.05.2001)

PCT

(10) International Publication Number WO 01/35806 A1

(51) International Patent Classification7:

A47K 3/36

(21) International Application Number: PCT/EP00/11159

(22) International Filing Date:

10 November 2000 (10.11.2000)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: TV99A000127 18 November 1999 (18.11.1999)

(71) Applicant (for all designated States except US): CALIBE S.R.L. [IT/IT]; Via Provinciale, 116, I-40056 Crespellano (IT).

(72) Inventor; and

(75) Inventor/Applicant (for US only): MONTANARI, Filippo [IT/IT]; Via Provinciale, 116, I-40056 Crespellano (IT).

(74) Agent: MODIANO, Guido; Modiano & Associati, Via Meravigli, 16, I-20123 Milan (IT).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.


(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

With international search report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: SHOWER APPARATUS



(57) Abstract: A shower apparatus, comprising an enclosure or a door (2) and a shower tray (3), the enclosure or door and the shower tray being mutually disconnected and the enclosure or door having means for adjustable connection to walls (5a, 5b) that form a cubicle (4) that accommodates the apparatus.

WO 01/35806 A1



1

SHOWER APPARATUS

Technical Field

The present invention relates to a shower apparatus.

Background Art

10

15

20

25

Shower apparatuses are currently in use being usually constituted by an enclosure made of a rigid material, for example, glass, Plexiglas or other translucent or transparent material, which is placed for example in a corner of a suitable room or in a recess or along a wall.

The enclosure is therefore for example fixed on two sides to the walls of the room and rests in a downward region on a shower tray.

Resting on the shower tray occurs according to various solutions, since the lower end of the enclosure can rest on the entire upper rim of the shower tray or only on a part thereof, for example by using, on the region adjacent to the door, spacer pins which are arranged between the lower end of the enclosure and the upper rim of the shower tray.

The enclosure is usually constituted by a frame whereto a door is slidingly fixed or hinged.

The door can therefore be for example coupled in an upward region to the enclosure frame so that it can slide and can be guided in a downward region on a seat which is rigidly coupled above the upper rim of the shower tray.

As an alternative, the door can slide by resting, on a suitable gasket, on the upper rim of the shower tray.

The main drawback of these conventional shower apparatuses is that unsightly and scarcely hygienic deposits of scale and other matter, accumulations of dirt, mold and bacteria due to stagnation of water after use often form in the points of contact between the enclosure and the shower tray.

These stagnations are often due to difficulty in being able to dry and clean interstices that are present proximate to these resting points, such

2

interstices being also awkward to access because they are arranged at floor level.

Another drawback of conventional shower apparatuses is that they can require, in the resting regions, the presence of gaskets and/or silicone seals which, in addition to be prone to deterioration and unsightly, worsen the noted drawbacks due to water stagnation and entail an additional intervention during installation.

Another drawback consists in that water can escape due to the contact, which acts as a path for connection to the outside of the shower cubicle, between the enclosure, which is internally wet, and the rim of the shower tray, which is adjacent to the flooring that lies outside the shower cubicle.

Another drawback of conventional shower apparatuses is that they have a complicated adjustment, by means of shims, of the position of the enclosure with respect to the walls, this adjustment being necessary because the walls are never perfectly vertical and perpendicular to the floor.

Disclosure of the Invention

10

15

20

25

30

The aim of the present invention is to solve the above-noted problems, eliminating the drawbacks of the cited prior art, by providing a shower apparatus which is easy and straightforward to install and clean, avoiding the presence of water stagnation regions which cause, for example, the formation of scale deposits.

Within this aim, an object of the invention is to provide a shower apparatus which prevents the escape from the shower cubicle even of minimal amounts of water, thus avoiding the need to subsequently dry up the escaped water and, even more importantly, avoiding the possibility of accidents caused by the fact that someone slips on said water.

Another object of the invention is to provide a shower apparatus which achieves the intended aim and objects without requiring the use of unsightly silicone seals and/or gaskets, which would also help to worsen the abovenoted problems.

Another object of the invention is to provide a shower apparatus which is structurally simple and has low manufacturing costs.

3

This aim and these and other objects which will become better apparent hereinafter are achieved by a shower apparatus, comprising an enclosure or a door and a shower tray, characterized in that said enclosure or door and said shower tray are mutually disconnected, said enclosure or door having means for adjustable connection to the walls that form the cubicle for accommodating the apparatus.

Brief Description of the Drawings

10

15

20

25

Further characteristics and advantages of the present invention will become better apparent from the following detailed description of a particular embodiment thereof, illustrated only by way of non-limitative example in the accompanying drawings, wherein:

Figure 1 is a perspective view of the shower apparatus according to the present invention;

Figure 2 is a perspective view of a detail of the wall anchoring and adjustment system;

Figure 3 is a sectional plan view of a detail of the wall anchoring and adjustment system at minimum extension;

Figure 4 is a sectional plan view of a detail of the wall anchoring and adjustment system at maximum extension;

Figure 5 is a sectional exploded plan view of the elements that compose the anchoring and adjustment system;

Figure 6 is a plan view of the invention;

Figure 7 is a side view of the invention; and

Figure 8 is a sectional side view of the shower tray, taken along a plane which is parallel to a wall.

Wavs of carrying out the Invention

With reference to the figures, the reference numeral 1 designates a shower apparatus which comprises an enclosure or door 2 and a shower tray

4

3.

5

10

15

20

25

30

The enclosure 2 is arranged in a shower cubicle, designated by the reference numeral 4, which in this embodiment is delimited by two vertical walls 5a and 5b being advantageously perpendicular one another so as to form a shower corner which accommodates the apparatus 1.

The enclosure 2, seen in plan view, advantageously has a side which is shaped like a circular arc with the convexity facing outward; the enclosure is constituted by a frame, designated by the reference numeral 6, having a peripheral seat 50 inside which two glazing panels 7a and 7b are preferably arranged. The panels are advantageously rectangular and flat and are each arranged adjacent to the walls 5a and 5b.

An opening, designated by the reference numeral 8, is provided between the glazing panels 7a and 7b, advantageously in a central position, and is adapted to accommodate a door 9 which is preferably shaped like a circular arc and is coupled to the frame 6, preferably by means of two vertical hinges 10a and 10b which protrude from the frame along the same axis.

The apparatus 1 has appropriate means for the adjustable connection of the enclosure 2 to the walls 5a and 5b.

Since the connection means are identical for each wall, only the means for connection to the wall 5b are described for the sake of simplicity.

The connection means are constituted by a post, designated by the reference numeral 11b, which rests vertically on the wall 5b; by a first profiled element 12b, which is L-shaped and rigidly coupled to the frame 6; by first connection screws 13b for the removable connection of the post 11b to the wall 5b; and by second adjustment screws 14b for the adjustable connection of the mutual position between frame 6 and post 11b.

The post 11b is constituted by a second profiled element, designated by the reference numeral 15b, having advantageously a C-shaped transverse cross-section which has a base, designated by the reference numeral 17b, and two wings 18b which advantageously have the same dimensions and

protrude, in the same direction, toward the wall 5b.

10

15

20

25

30

The base 17b of the second profiled element 15b is advantageously arranged parallel to the wall 5b and has first holes, not shown, which are adapted for detachable connection, by means of the first connecting screws 13b, to the wall 5b, in which adapted wall anchors are associated beforehand.

Locking elements are associated with the post 11b and are constituted by nuts 19b which are accommodated within the wings 18b and are provided with second threaded holes 20b which have a horizontal axis and are arranged at similar third holes 21b which are formed in the base 17b of the second profiled element, in a staggered position with respect to the first holes.

The second adjustment screw 14b has a threaded stem 22b which can be inserted, through said third and second holes 21b and 20b, in the locking element or nut 19b, and a head, designated by the reference numeral 23b, on the lateral surface 24b whereof there is an annular milling 25b.

The first profiled element 12b, which has an advantageously L-shaped cross-section, is arranged so as to have a first wing 26b being approximately parallel to the base 17b of the second profiled element and a second wing 27b being advantageously perpendicular to the first wing 26b.

At least one of the two wings 26b and 27b has surfaces for coupling, advantageously by welding or gluing, to the frame 6.

Two or more vertical slots, designated by the reference numeral 28b, are formed in the first wing 26b and are advantageously symmetrical with respect to a horizontal central plane and are blended, by means of a lateral milling 51, with the free peripheral edge 52 of the wing 26b.

The dimensions of the lateral milling 51 are such as to allow the insertion and sliding of the head 23b of the second adjustment screw 14b, so as to arrange the annular milling 25b at the thickness of the first wing 26b.

A lateral gap, designated by the reference numeral 29b and formed

6

between the first wing 26b and the base 17b of the post 11b, allows access to the head 23b of the second adjustment screw 14b so as to allow partial screwing-unscrewing thereof for optimum positioning and centering of the enclosure 2.

A strip, designated by the reference numeral 30b, is advantageously magnetic and is substantially rectangular, and allows the connection between the first profiled element 12b and the post 11b, thus closing the lateral gap 29b.

Below the enclosure 2, and spaced from the lower peripheral rim 53 thereof, the shower tray 3 is rested on the ground and has, at least at an arclike side designated by the reference numeral 31, a peripheral rim 32 which is raised with respect to an internal useful surface designated by the reference numeral 33.

10

15

20

25

30

The raised peripheral rim 32 has, in a transverse cross-section, a configuration which curves upward and increases in height advantageously in the part that lies under the door 9.

An internal channel 34 for collecting water is adjacent to the peripheral rim 32 and surrounds the internal useful surface 33.

The collection channel 34, arranged downward with respect to the lower peripheral rim 53 of the enclosure 2, is inclined on the plane in order to convey the water to a drain, designated by the reference numeral 35, which is advantageously arranged along the channel 34 proximate to the door 9.

Use is thus as follows: with reference to Figure 1, the first assembly operation consists in positioning and coupling, by way of conventional methods, the shower tray 3 to the floor of the cubicle 4 that accommodates the apparatus 1, which is conveniently arranged so as to rest laterally against the respective walls 5a and 5b.

Then the two posts are fixed, by means of the first connecting screws, to the respective walls 5a and 5b, so that the posts are conveniently arranged within the arc-like side 31 of the shower tray 3.

5

10

15

20

25

30

Then the enclosure 2 is assembled on the ground, associating the frame 6 with the glazing panels 7a and 7b and with the door 9.

Since the enclosure 2 is fully symmetrical, it can be turned upside down so as to determine at will the direction in which the door 9 opens.

The enclosure 2 is thus installed so as to be suspended on both posts by arranging the vertical slots in the respective annular millings formed in the heads of the adjustment screws.

It is thus possible to adjust the position and centering of the enclosure 2 with respect to the walls 5a and 5b by partially screwing or unscrewing the adjustment screws.

This intervention is allowed after installation because access to the adjustment screws occurs by means of the two lateral gaps that are present between the first profiled elements and the respective posts.

The gaps can be closed, once centering has been performed, by means of the appropriately provided strips, so as to protect the inside of the lateral gaps from water or any dirt and at the same time ensure an effective aesthetic impact.

During use, water flows by gravity from the internal surfaces of the enclosure 2 toward the lower peripheral rim 53 thereof, drips from there inside the shower tray 3, and is conveyed, by means of a system of slopes, first into the channel 34 and then into the drain 35.

It has thus been observed that the invention has achieved the intended aim and objects, a shower apparatus having been provided which is simple to install and easy and straightforward to clean, since there is no contact between the shower enclosure, which is suspended from two lateral posts, and the underlying shower tray.

The invention is of course susceptible of numerous modifications and variations, all of which are within the scope of the same inventive concept.

The materials used, as well as the dimensions that constitute the individual components of the invention, may of course be more pertinent

8

according to specific requirements.

The disclosures in Italian Patent Application No. TV99A000127 from which this application claims priority are incorporated herein by reference.

9

CLAIMS

- 1. A shower apparatus, comprising an enclosure or a door and a shower tray, characterized in that said enclosure or door and said shower tray are mutually disconnected, said enclosure or door having means for adjustable connection to the walls that form a cubicle for accommodating said apparatus.
- 2. The apparatus according to claim 1, characterized in that said enclosure, which has, in plan view, a side being shaped like a circular arc with the convexity facing outward, is constituted by a frame having a peripheral seat inside which it is possible to arrange laterally two glazing panels which are rectangular and flat and are arranged adjacent to said walls.

10

15

20

25

- 3. The apparatus according to claims 1 and 2, characterized in that between said glazing panels there is an opening which is adapted to accommodate a door which is shaped like a circular arc and is coupled to said frame by means of two vertical hinges which protrude from said frame along the same axis.
- 4. The apparatus according to claims 1 and 3, characterized in that said adjustable connection means are constituted by two vertical posts, each of which rests in a rear region against one of said walls; by a first profiled element, which is L-shaped and is rigidly coupled to said frame; by first connection screws for the detachable connection of said posts to said walls; and by second adjustment screws for the adjustable connection of the mutual position of said frame and said posts.
- 5. The apparatus according to claims 1 and 4, characterized in that each one of said posts is constituted by a second profiled element, which has a C-shaped cross-section which forms a base and two wings, which advantageously have the same dimensions and protrude in the same direction toward said wall.
 - 6. The apparatus according to claims 1 and 5, characterized in that said

10

base of said second profiled element is arranged parallel to said wall and has first holes for detachable connection, by means of said first connection screws, to said wall, in which adapted wall anchors are associated beforehand.

7. The apparatus according to claims 1 and 6, characterized in that locking elements are associated with each one of said posts and are constituted by nuts which are accommodated within said wings and are provided with second threaded holes whose axis is arranged horizontally, said locking elements being arranged at similar third holes formed in said base of said second profiled element in a staggered position with respect to said first holes.

5

10

15

20

25

- 8. The apparatus according to claims 1 and 7, characterized in that said second adjustment screw has a threaded stem which can be inserted, through said third and second holes, in said locking element or nut, and a head on the lateral surface whereof there is an annular milling.
- 9. The apparatus according to claims 1 and 8, characterized in that said first profiled element, which advantageously has an L-shaped cross-section, is arranged so as to have a first wing which is arranged approximately parallel to said base of said second profiled element and a second wing which is arranged at right angles to said first wing.
- 10. The apparatus according to claims 1 and 9, characterized in that at least one of said first and second wings has surfaces for coupling to said frame.
- 11. The apparatus according to claims 1 and 10, characterized in that two or more vertical slots are formed in said first wing, are symmetrical with respect to a central horizontal plane, and are blended, by means of a lateral milling, with the free peripheral edge of said first wing.
 - 12. The apparatus according to claims 1 and 11, characterized in that the dimensions of said lateral milling are such as to allow the insertion and sliding of said head of said second adjustment screw so as to arrange said

annular milling at the thickness of said first wing.


10

15


20

25

- 13. The apparatus according to claims 1 and 12, characterized in that it has, between each one of said first wings and each one of said bases of said posts, a lateral gap for accessing said head of said second adjustment screw, so as to allow the partial screwing-unscrewing thereof for optimum positioning and centering of said enclosure.
- 14. The apparatus according to claims 1 and 13, characterized in that it has a strip, which is magnetic and substantially rectangular, for the connection of each one of said first profiles to each one of said posts, so as to allow to close said lateral gap.
- 15. The apparatus according to one or more of the preceding claims, characterized in that said shower tray, rested on the ground below said enclosure and spaced from the lower peripheral rim thereof, has a peripheral rim which is raised with respect to an internal usable surface.
- 16. The apparatus according to claims 1 and 15, characterized in that said raised peripheral rim is curved upward in transverse cross-section, said curvature increasing in height in the part below said enclosure or door.
- 17. The apparatus according to claims 1 and 16, characterized in that said raised peripheral rim of said shower tray is arranged externally with respect to said lower peripheral rim of said enclosure and has a height from the ground which is greater than the distance from the ground of said lower peripheral rim of said enclosure.
- 18. The apparatus according to claims 1 and 17, characterized in that it has, inside said peripheral rim of said shower tray, a water collection channel which is arranged below said lower peripheral rim of said enclosure and surrounds said usable surface.
- 19. The apparatus according to claims 1 and 18, characterized in that said collection channel has, with respect to the horizontal plane, an inclined arrangement in order to convey the water to a drain which is arranged along said channel proximate to said door.





2/6





F19.2













PCT/EP00/11159



6/6





INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference 34116/GM/cb		of Transmittal of International Search Report 220) as well as, where applicable, item 5 below.				
International application No.	International filing date (day/month/year)	(Earliest) Priority Date (day/month/year)				
PCT/EP 00/11159	10/11/2000	18/11/1999				
Applicant CALIBE S.R.L. et al.						
This International Search Report has bee according to Article 18. A copy is being to	n prepared by this International Searching Aut ansmitted to the International Bureau.	hority and is transmitted to the applicant				
·	of a total of sheets. a copy of each prior art document cited in this	report.				
Basis of the report Alith regard to the language, the	international accret was social and as the hear	ole of the international angliculus is the				
	international search was carried out on the balless otherwise indicated under this item.	sis of the international application in the				
the international search w Authority (Rule 23.1(b)).	vas carried out on the basis of a translation of t	he international application furnished to this				
 b. With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international search was carried out on the basis of the sequence listing: contained in the international application in written form. 						
filed together with the international application in computer readable form.						
furnished subsequently to this Authority in written form.						
furnished subsequently to this Authority in computer readble form.						
	the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.					
the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished						
I =	2. Certain claims were found unsearchable (See Box I).					
3. Unity of invention is lacking (see Box II).						
4. With regard to the title ,	·					
X the text is approved as su	ubmitted by the applicant.					
the text has been established by this Authority to read as follows:						
5. With regard to the abstract , The text is approved as so the text has been established and the text has been established as the	ubmitted by the applicant. shed, according to Rule 38.2(b), by this Authori e date of mailing of this international search rej	ity as it appears in Box III. The applicant may,				
6. The figure of the drawings to be pub		1				
l 🔻		None of the figures.				
	as suggested by the applicant. None of the figures. None of the figures.					
because this figure better characterizes the invention.						

INTERNATIONAL SEARCH REPORT

PC P 00/11159

A. CLASSI IPC 7	FICATION OF SUBJECT MATTER A47K3/36			
110 / 747.83/30				
According to	o International Patent Classification (IPC) or to both national classific	ation and IPC		
	SEARCHED			
Minimum do	cumentation searched (classification system followed by classification $A47K$	ion symbols)		
110.	, , , , , , , , , , , , , , , , , , ,			
Documenta	tion searched other than minimum documentation to the extent that s	such documents are included in the fields sea	arched	
Electronic d	ata base consulted during the international search (name of data ba	se and, where practical, search terms used)		
	ternal, WPI Data			
	·			
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT			
Category *	Citation of document, with indication, where appropriate, of the rel	evant passages	Relevant to daim No.	
	TO CO CAE A (DEUTEL MAI DEMAR)		1,15-19	
X	DE 36 00 945 A (BEUTEL-WALDEMAR) 23 October 1986 (1986-10-23)		1,13-13	
Α	page 10, line 22 -page 11, line 3	30;	2	
	figures 1,2			
Α	WO 95 19131 A (KOHLER CO)	:	1-6	
	20 July 1995 (1995-07-20)	et auma a		
	page 5, line 2 -page 6, line 7; figures			
	·			
Furti	ner documents are listed in the continuation of box C.	X Patent family members are listed in	n annex.	
ليا	tegories of cited documents :		retional filling data	
A docume	ent defining the general state of the art which is not	*T* later document published after the inter or priority date and not in conflict with t cited to understand the principle or the	he application but	
consid	ered to be of particular relevance document but published on or after the international	invention *X* document of particular relevance; the cla	aimed invention	
Find date *L* document which may throw doubts on priority claim(s) or *L* document which may throw doubts on priority claim(s) or *L* document which may throw doubts on priority claim(s) or *L* document which may throw doubts on priority claim(s) or				
which citation	is cited to establish the publication date of another n or other special reason (as specified)	"Y" document of particular relevance; the cla	aimed invention entive step when the	
O docume other r	ent referring to an oral disclosure, use, exhibition or neans	document is combined with one or more ments, such combination being obvious in the art.	e other such docu- s to a person sidiled	
"P" docume later th	ent published prior to the international filing date but nan the priority date claimed	in the art. *&* document member of the same patent fr	amily	
Date of the	actual completion of the international search	Date of mailing of the international sear	rch report	
1	3 February 2001	20/02/2001		
	nailing address of the ISA	Authorized officer		
	European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk			
	Tel. (+31-70) 340-2040, Tx. 31 651 epo nl.	Vrugt, S		

INTERNATIONAL SEARCH REPORT

on patent family members

PC 200/11159

Pat int document cited in search report		Publication date	Patent family member(s)	Publication date
DE 3600945	Α	23-10-1986	NONE	
WO 9519131	A	20-07-1995	CA 2181536 A DE 69506843 D DE 69506843 T DE 69513198 D EP 0740519 A EP 0799594 A ES 2129195 T US 5694722 A US 6023889 A	20-07-1995 04-02-1999 05-08-1999 09-12-1999 06-11-1996 08-10-1997 01-06-1999 09-12-1997 15-02-2000

TENT COOPERATION TREATY



From the RECEIVING OFFIC	CE		PCT	
To: Modiano, Guido MODIANO & ASSOCIATI Via Meravigli, 16 I-20123 Milano		NOTIFICATION OF THE INTERNATIONAL APPLICATION NUMBER AND OF THE INTERNATIONAL FILING DATE		
ITALIE			(PCT Rule 20.5(c))	
		Date of mailing (dayimonth/year)	1 4 12 2000	
Applicant's or agent's file reference 34116/GM/cb		IMPORTANT NOTIFICATION		
International application No.	International filing date	(day month year)	Priority date (day month;year)	
PCT/EP 00/11159	10/11,	/2000	18/11/1999	
Applicant CALIBE S.R.L.				
Title of the invention		 		
the international filing date indicate The applicant is further notified tha Bureau on the above date of mailin Other:	t the record copy of the inter	national application w	vas transmitted to the International	
ÿ				
 The International Bureau monitors th (with Form PCT/IB/301) of its receip the priority date, the International Bu 	ot. Should the record copy no	ot have been received		

Name and mailing address of the receiving Office

European Patent Office, P.B. 5818 Patentlaan 2 NL-2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo ni, Fax: (+31-70) 340-3016

Authorized officer





REQUEST

The undersigned requests that the present international application be processed

F iving Office use only		
PC17EP 00 / 1 1 1 5 g		
International Application No.		
1 0 NOV 2000 (1 0. 11. 2000)		
EUROPEAN PATENT OFFICE PCT INTERNATIONAL APPLICATION		
Name of receiving Office and WOOT Income and a literature		

according to the Patent Cooperation Treaty. Name of receiving Office and "PCT International Application Applicant's or agent's file reference 34116/GM/cb· (if desired) (12 characters maximum) Box No. I TITLE OF INVENTION SHOWER APPARATUS APPLICANT Box No. II Name and address: (Family name followed by given name; for a legal entiry, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State This person is also inventor. of residence is indicated below.) Telephone No. CALIBE S.r.1. Via Provinciale, 116 Facsimile No. 40056 CRESPELLANO ITALY Teleprinter No. State (that is, country) of nationality: State (that is: country) of residence: IT IT This person is applicant all designated States all designated States except the United States of America the States indicated in the Supplemental Box the United States XX for the purposes of: of America only Box No. III FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S) Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State This person is: of residence is indicated below.) applicant only MONTANARI Filippo applicant and inventor Via Provinciale, 116 inventor only (If this check-bax is marked, do not fill in below.) 40056 CRESPELLANO ITALY State (that is, country) of nationality: State (that is, country) of residence: IT IT all designated States except the United States of America This person is applicant all designated the States indicated in the United States x States for the purposes of: the Supplemental Box Further applicants and/or (further) inventors are indicated on a continuation sheet Box No. IV AGENT OR COMMON REPRESENTATIVE; OR ADDRESS FOR CORRESPONDENCE The person identified below is hereby/has been appointed to act on behalf agent common representative of the applicant(s) before the competent International Authorities as: Name and address: (Family name followed by given name: for a legal entity, full official designation. The address must include postal code and name of country.) Telephone No. (003902) 8692442 MODIANO Guido Facsimile No. MODIANO & ASSOCIATI (003902) 863860 Via Meravigli, 16 Teleprinter No. 20123 MILAN - ITALY Address for correspondence: Mark this check-box where no agent or common representative is/has been appointed and the space above is used instead to indicate a special address to which correspondence should be sent.

		Sheet No2		PUI/EPUU
Box No.V	DESIGNATION C TATES			
The following	ng designations are hereby made unde	er Rule 4.9(a) (mark the applicable of	:heck-boxes; at i	least one must be marked):
Regional Pa				
AP AR	IPO Patent: GH Ghana, GM Gambia	, KE Kenya, LS Lesotho, MW Ma	lawi, MZ Moz	ambique, SD Sudan, SL S
	Swaziland, TZ United Republic of Ta	inzania, UG Oganda, Zw Zimbao	we, and any ou	iei State which is a Cont

enya, LS Lesotho, MW Malawi, MZ Mozambique, SD Sudan, SL Sierra Leone, UG Uganda, ZW Zimbabwe, and any other State which is a Contracting State

- 🔀 EA Eurasian Patent: AM Armenia, AZ Azerbaijan, BY Belarus, KG Kyrgyzstan, KZ Kazakhstan, MD Republic of Moldova, RU Russian Federation, TJ. Tajikistan, TM Turkmenistan, and any other State which is a Contracting State of the Eurasian Patent Convention and of the PCT
- European Patent: AT Austria, BE Belgium, CH and LI Switzerland and Liechtenstein, CY Cyprus, DE Germany, DK Denmark, ES Spain, FI Finland, FR France, GB United Kingdom, GR Greece, IE Ireland, IT Italy, LU Luxembourg, MC Monaco, NL Netherlands, PT Portugal, SE Sweden, and any other State which is a Contracting State of the European Patent Convention and of the PCT
- OAPI Patent: BF Burkina Faso, BJ Benin, CF Central African Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, GA Gabon, GN Guinea, GW Guinea-Bissau, ML Mali, MR Mauritania, NE Niger, SN Senegal, TD Chad, TG Togo, and any other State which is a member State of OAPI and a Contracting State of the PCT (if other kind of protection or treatment desired, specify on dotted line)

National Patent (if other kind of protection or treatment desired, specify on dotted line): AE United Arab Emirates LC Saint Lucia AG Antigua and Barbuda LK Sri Lanka 🛮 AL Albania 🔀 AM Armenia LS Lesotho ⊠ LT Lithuania ☑ LU Luxembourg 🔀 AZ Azerbaijan 🔀 BA Bosnia and Herzegovina BB Barbados MD Republic of Moldova ☑ BG Bulgaria MG Madagascar ☑ BR Brazil MK The former Yugoslav Republic of Macedonia MN Mongolia BZ Belize MW Malawi MX Mexico CH and LI Switzerland and Liechtenstein MZ Mozambique CN China ☑ NO Norway CR Costa Rica New Zealand ☑ CU Cuba ⊠ PL Czech Republic 🛛 PT Portugal **⊠** DE ⊠ RO Romania ⊠ RU Russian Federation DM Dominica ⊠ SD Sudan DZ Algeria ⊠ SE Sweden ⊠ EE Estonia ⊠ SG Singapore Spain ⊠ ES X SI Slovenia ⊠ FI 🛛 SK Slovakia ⊠ GB United Kingdom 🛛 SL ⊠ GD Grenada 🛛 TJ Turkmenistan X TM X TR Turkey M GM Gambia X TT Trinidad and Tobago ⊠ TZ United Republic of Tanzania HR Croatia ₩ UA HU Hungary Ukraine 🛛 UG Uganda \boxtimes m Indonesia ☑ US M IL Israel ₩ UZ MI 🖾 ☑ VN ⊠ IS Viet Nam Iceland 🛛 YU Yugoslavia ⊠ JP Japan South Africa Check-box reserved for designating States which have become party to the PCT after issuance of this sheet:

Precautionary Designation Statement: In addition to the designations made above, the applicant also makes under Rule 4.9(b) all other designations which would be permitted under the PCT except any designation(s) indicated in the Supplemental Box as being excluded from the scope of this statement. The applicant declares that those additional designations are subject to confirmation and that any designation which is not confirmed before the expiration of 15 months from the priority date is to be regarded as withdrawn by the applicant at the expiration of that time limit. (Confirmation (including fees) must reach the receiving Office within the 15-month time limit.)

Sheet No.

Box No. VI PRIORITY C	Lanvi			Further pric	ority craims are indicated	i in the Supplemental Box
Filing date Number		Where earlier application is:				
of earlier application	of earlier applicatio	חכ	national :	application:	regional application:	·
(day/month/year)			COI	untry	regional Office	receiving Office
item (1) 18 NOVEMBER 1999 (18.11.99)	TV99A000127	.	ITAL	LY .		
item (2)						
			!		·	
item (3)						
The receiving Office is req of the earlier application(s purposes of the present int	s) (only if the earlier ap ternational application i	oplica is the	ation was file e receiving O	<i>led-with the (</i> Office) identifi	Office which for the led above as item(s):	
* Where the earlier application is a Convention for the Protection of In	idustrial Property for which	h that	t earlier appli	licate in the Suj ication was filed	pplemental Box at least one d (Rule 4.10(b)(ii)). See Su	e country party to the Paris pplemental Boz
	NAL SEARCHING A					
Choice of International Search (if two or more International Sea competent to carry out the interna the Authority chosen; the two-letter	arching Authorities are sational search, indicate	search -	uest to use r h has been car (day/month/ye	rried out by or r	requested from the Internation	to that search (if an earlier ional Searching Authority): Country (or regional Office)
ISA/EP	<u></u>					<u>.</u>
Box No. VIII CHECK LIST		ILIN	G			
This international application co the following number of sheets	s:			is accompani	ied by the item(s) marked	d below:
request :	3 1. fee calculation sheet 2.					
description (excluding sequence listing part) :	1	3. Copy of general power of attorney; reference number, if any:				
	3 4.	_	•	•	•	
			•	_	ox No. VI as item(s):	
	- J. C. priority	-			* *	
sequence listing part 7						
of description :	1 - '			• .	•	-
8. nucleotide and/or amino acid sequence listing in computer readable form Total number of sheets: 21 9 other (specify):						
Figure of the drawings which Language of filing of the						
should accompany the abstract international application:						
Box No. IX SIGNATURE OF APPLICANT OR AGENT Next to each signature indicate the same of the next or significant discountry indicate the same of the next or significant discountry.						
Next to each signature, indicate the name of the person signing and the capacity in which the person signs (if such capacity is not covious from reading the request).						
		•				
Milan, Italy -	•					
November 3, 2000	0				A	
				<i></i>	7	1
MODIANO Guido '						
1. Date of actual receipt of the p		recei	iving Office	: use only —	() 20 2	2 Descringer
international application:	1	0 N	OV 2000		(10.11.00)	2. Drawings:
Corrected date of actual receip timely received papers or draw the purported international appropriate that the purported international appropriate the purp	wings completing plication:			 	·	received:
4. Date of timely receipt of the recorrections under PCT Article	e (l (2):					not received:
 International Searching Autho (if two or more are competent)): ISA/		6.	Transmittal until search	of search copy delayed fee is paid.	
·		temat	tional Bureau	iu use only _		
Date of receipt of the record copy by the International Bureau:	У					1





From the INTERNATIONAL BUREAU

PCT

NOTIFICATION CONCERNING SUBMISSION OR TRANSMITTAL OF PRIORITY DOCUMENT

(PCT Administrative Instructions, Section 411)

10.

MODIANO, Guido Modiano & Associati Via Meravigli, 16 I-20123 Milan ITALIE

IMPORTANT NOTIFICATION
International filing date (day/month/year) 10 November 2000 (10.11.00)
Priority date (day/month/year) 18 November 1999 (18.11.99)

- 1. The applicant is hereby notified of the date of receipt (except where the letters "NR" appear in the right-hand column) by the International Bureau of the priority document(s) relating to the earlier application(s) indicated below. Unless otherwise indicated by an asterisk appearing next to a date of receipt, or by the letters "NR", in the right-hand column, the priority document concerned was submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b).
- 2. This updates and replaces any previously issued notification concerning submission or transmittal of priority documents.
- 3. An asterisk(*) appearing next to a date of receipt, in the right-hand column, denotes a priority document submitted or transmitted to the International Bureau but not in compliance with Rule 17.1(a) or (b). In such a case, the attention of the applicant is directed to Rule 17.1(c) which provides that no designated Office may disregard the priority claim concerned before giving the applicant an opportunity, upon entry into the national phase, to furnish the priority document within a time limit which is reasonable under the circumstances.
- 4. The letters "NR" appearing in the right-hand column denote a priority document which was not received by the International Bureau or which the applicant did not request the receiving Office to prepare and transmit to the International Bureau, as provided by Rule 17.1(a) or (b), respectively. In such a case, the attention of the applicant is directed to Rule 17.1(c) which provides that no designated Office may disregard the priority claim concerned before giving the applicant an opportunity, upon entry into the national phase, to furnish the priority document within a time limit which is reasonable under the circumstances.

<u>Priority date</u> <u>Priority application No.</u>

Country or regional Office or PCT receiving Office

Date of receipt of priority document

18 Nove 1999 (18.11.99)

TV99A000127

ΙT

27 Dece 2000 (27.12.00)

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

S. Mandallaz

Telephone No. (41-22) 338.83.38

Authorized officer

TENT COOPERATION TREATY



From the INTERNATIONAL	SEARCHING	AUTHORITY
------------------------	-----------	-----------

PCT

MODIANO & ASSOCIATI Attn. Modiano, Guido Via Meravigli, 16 I-20123 Milano ITALY	NOTIFICATION OF TRANSMITTAL OF THE INTERNATIONAL SEARCH REPORT OR THE DECLARATION (PCT Rule 44.1)			
	Date of mailing (day/month/year) 20/02/2001			
Applicant's or agent's file reference 34116/GM/cb	FOR FURTHER ACTION See paragraphs 1 and 4 below			
International application No. PCT/EP 00/11159	International filing date (day/month/year) 10/11/2000			
Applicant CALIBE S.R.L. et al.				
1. X The applicant is hereby notified that the International Search Report has been established and is transmitted herewith. Filing of amendments and statement under Article 19: The applicant is entitled, if he so wishes, to amend the claims of the International Application (see Rule 46): When? The time limit for filing such amendments is normally 2 months from the date of transmittal of the International Search Report; however, for more details, see the notes on the accompanying sheet. Where? Directly to the International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland Fascimile No.: (41–22) 740.14.35 For more detailed instructions, see the notes on the accompanying sheet. 2. The applicant is hereby notified that no International Search Report will be established and that the declaration under Article 17(2)(a) to that effect is transmitted herewith.				
3. With regard to the protest against payment of (an) additional fee(s) under Rule 40.2, the applicant is notified that: the protest together with the decision thereon has been transmitted to the International Bureau together with the applicant's request to forward the texts of both the protest and the decision thereon to the designated Offices.				
no decision has been made yet on the protest; the applicant will be notified as soon as a decision is made.				
4. Further action(s): The applicant is reminded of the following:				
Shortly after 18 months from the priority date, the international a If the applicant wishes to avoid or postpone publication, a notic priority claim, must reach the International Bureau as provided completion of the technical preparations for international public	e of withdrawal of the international application, or of the lin Rules 90 <i>bis</i> .1 and 90 <i>bis</i> .3, respectively, before the ation.			
Within 19 months from the priority date, a demand for internation wishes to postpone the entry into the national phase until 30 m	onths from the priority date (in some Offices even later).			
Within 20 months from the priority date, the applicant must perform the prescribed acts for entry into the national phase before all designated Offices which have not been elected in the demand or in a later election within 19 months from the priority date or could not be elected because they are not bound by Chapter II.				

Name and mailing address of the International Searching Authority



European Patent Offic , P.B. 5818 Patentlaan 2 NL-2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, _ Fax: (+31-70) 340-3016

Authorized officer

Joëlle Gerber